

California Integrated Waste Management Board  
**Disposal Facility Inspection Report**



Enforcement Agency: <u>LOS ANGELES COUNTY SOLID WASTE MANAGEMENT</u>		<b>For Official CIWMB Use Only</b>	
FACILITY FILE NUMBER (99-xx-9999) <u>19 - AA - 0052</u>		INSPECTION DATE (MM/DD/YYYY) <u>01/15/2009</u>	
PROGRAM CODE (Select only one code) <input checked="" type="radio"/> LEA - Periodic <input type="radio"/> CIWMB - Closed Sites <input type="radio"/> CIWMB Focused <input type="radio"/> LEA - Focused <input type="radio"/> CIWMB Enforcement Agent <input type="radio"/> CIWMB Periodic		Time In:	Inspection Time
Facility Name <u>CHIQUITA CYN LANDFILL</u>		Received By (Operator) Signature <i>Tony [Signature]</i>	
Facility Location <u>29201 HENRY MAYO DR., VALENCIA, CA</u>		Owner Signature (if present)	
Inspector <u>CASTELLANOS</u>	Inspector Signature <u>JL</u>	Also Present (Name)	
<input type="radio"/> Attachments: On File (Not Scanned)			

THE ABOVE FACILITY WAS INSPECTED FOR COMPLIANCE WITH APPLICABLE SECTIONS OF DIVISION 30 OF THE PUBLIC RESOURCES CODE (PRC), AND TITLE 14 AND TITLE 27 CALIFORNIA CODE OF REGULATIONS (CCR). THE STANDARDS BELOW ARE CONSIDERED IN COMPLIANCE UNLESS OTHERWISE MARKED WITH ONE OF THE FOLLOWING: V=VIOLATION A=AREA OF CONCERN

PERMITS	V	A	SPREADING/COMPACTING	V	A	CONTROLS	V	A
PRC 44004(a) - SIGNIFICANT CHANGE	<input type="radio"/>	<input type="radio"/>	20540 - SPREADING/COMPACTING	<input type="radio"/>	<input type="radio"/>	20840 - NOISE CONTROL	<input type="radio"/>	<input type="radio"/>
PRC 44014(b) - OPERATOR COMPLIES WITH TERMS AND CONDITIONS OF PERMIT	<input type="radio"/>	<input type="radio"/>	20650 - GRADING OF FILL SURFACES	<input type="radio"/>	<input type="radio"/>	20860 - TRAFFIC CONTROL	<input type="radio"/>	<input type="radio"/>
21640 - REVIEW OF PERMITS	<input type="radio"/>	<input type="radio"/>	20660 - STOCKPILING	<input type="radio"/>	<input type="radio"/>	20870 - HAZARDOUS WASTES	<input type="radio"/>	<input type="radio"/>
21600 - REPORT OF DISP SITE INFORMATION	<input type="radio"/>	<input type="radio"/>	<b>DAILY &amp; INTERMEDIATE COVER</b>		20880 - MEDICAL WASTES	<input type="radio"/>	<input type="radio"/>	
<b>LOCATION RESTRICTIONS</b>			20670 - AVAILABILITY OF COVER MATERIAL	<input type="radio"/>	<input type="radio"/>	20890 - DEAD ANIMALS	<input type="radio"/>	<input type="radio"/>
20270 - AIRPORT SAFETY	<input type="radio"/>	<input type="radio"/>	20680 - DAILY COVER	<input type="radio"/>	<input type="radio"/>	20900 - AIR CRITERIA	<input type="radio"/>	<input type="radio"/>
<b>OPERATING CRITERIA</b>			20690 - ALTERNATIVE DAILY COVER	<input type="radio"/>	<input type="radio"/>	<b>GAS MONITORING &amp; CONTROL</b>		
20510 - DISPOSAL SITE RECORDS	<input type="radio"/>	<input type="radio"/>	20695 - PERFORMANCE STANDARDS	<input type="radio"/>	<input type="radio"/>	20918 - EXEMPTIONS	<input type="radio"/>	<input type="radio"/>
20515 - MSWLF UNIT RECORDS	<input type="radio"/>	<input type="radio"/>	20700 - INTERMEDIATE COVER	<input type="radio"/>	<input type="radio"/>	20919 - GAS CONTROL	<input type="radio"/>	<input type="radio"/>
20517 - DOCUMENT APPROVALS/REQUIREMENTS	<input type="radio"/>	<input type="radio"/>	20686 - BENEFICIAL REUSE	<input type="radio"/>	<input type="radio"/>	20919.5 - EXPLOSIVE GAS CONTROL	<input type="radio"/>	<input type="radio"/>
20520 - SIGNS	<input type="radio"/>	<input type="radio"/>	<b>HANDLING, EQUIPMENT &amp; MAINTENANCE</b>			<b>CLOSURE</b>		
20530 - SITE SECURITY	<input type="radio"/>	<input type="radio"/>	20710 - SCAVENGING/SALVAGING/STORAGE	<input type="radio"/>	<input type="radio"/>	21110 - TIME FRAMES FOR CLOSURE	<input type="radio"/>	<input type="radio"/>
20540 - ROADS	<input type="radio"/>	<input type="radio"/>	20720 - NON-SALVAGEABLE ITEMS	<input type="radio"/>	<input type="radio"/>	21780 - SUBMITTAL CLOSURE PLANS	<input type="radio"/>	<input type="radio"/>
20550 - SANITARY FACILITIES	<input type="radio"/>	<input type="radio"/>	20730 - VOLUME REDUCTION/ENERGY RECOVERY	<input type="radio"/>	<input type="radio"/>	<b>TIRES</b>		
20560 - DRINKING WATER SUPPLY	<input type="radio"/>	<input type="radio"/>	20740 - EQUIPMENT	<input type="radio"/>	<input type="radio"/>	17351 - FIRE PREVENTION MEASURES	<input type="radio"/>	<input type="radio"/>
20570 - COMMUNICATION FACILITIES	<input type="radio"/>	<input type="radio"/>	20750 - SITE MAINTENANCE	<input type="radio"/>	<input type="radio"/>	17352 - FACILITY ACCESS SECURITY	<input type="radio"/>	<input type="radio"/>
20580 - LIGHTING	<input type="radio"/>	<input type="radio"/>	<b>CONTROLS</b>			17353 - VECTOR CONTROL	<input type="radio"/>	<input type="radio"/>
<b>PERSONNEL</b>			20760 - NUISANCE CONTROL	<input type="radio"/>	<input type="radio"/>	17354 - STORAGE	<input type="radio"/>	<input type="radio"/>
20590 - PERSONNEL HEALTH & SAFETY	<input type="radio"/>	<input type="radio"/>	20770 - ANIMAL FEEDING	<input type="radio"/>	<input type="radio"/>	17355 - DISPOSAL	<input type="radio"/>	<input type="radio"/>
20610 - TRAINING	<input type="radio"/>	<input type="radio"/>	20780 - OPEN BURNING/BURNING WASTES	<input type="radio"/>	<input type="radio"/>	17356 - INDOOR STORAGE	<input type="radio"/>	<input type="radio"/>
20615 - SUPERVISION	<input type="radio"/>	<input type="radio"/>	20790 - LEACHATE CONTROL	<input type="radio"/>	<input type="radio"/>	<b>OTHER</b>		
20620 - SITE ATTENDANT	<input type="radio"/>	<input type="radio"/>	20800 - DUST CONTROL	<input type="radio"/>	<input type="radio"/>	20921(b) GAS MONITORING AND CONTROL	<input type="radio"/>	<input checked="" type="radio"/>
<b>CONFINED UNLOADING</b>			20810 - VECTOR AND BIRD CONTROL	<input type="radio"/>	<input type="radio"/>		<input type="radio"/>	<input type="radio"/>
20630 - CONFINED UNLOADING	<input type="radio"/>	<input type="radio"/>	20820 - DRAINAGE & EROSION CONTROL	<input type="radio"/>	<input type="radio"/>		<input type="radio"/>	<input type="radio"/>
			20830 - LITTER CONTROL	<input type="radio"/>	<input type="radio"/>		<input type="radio"/>	<input type="radio"/>

Comments: (Note: for additional or continued comments use the CIWMB 03 or attach additional pages.)

HOURS OF OPERATIONS MONDAY FROM 4:00AM TO 5:00PM. TUESDAY THROUGH FRIDAY 3:00AM TO 5:00PM. SATURDAYS FROM 4:30AM TO 2:00PM. PERMITTED TONNAGE IS 6,000 TPD. DAILY PEAK TONNAGE 4,000TPD.  
 PERIMETER PROBES 5,6,7,9 and 11 CHECKED FOR METHANE. NO METHANE DETECTED. THE FOLLOWING RECORDS WERE CHECKED AND FOUND SATISFACTORY: LOAD CHECKS, SAFETY MEETINGS, TONNAGE, DAILY AND SPECIAL OCCURRANCES AND COMPLAINTS. BIRD AND DUST CONTROL SATISFACTORY.  
 SECOND FLARE IS NOT FUNCTIONAL YET.  
 WINDY CONDITIONS AT THE TIME OF INSPECTION, LITTER IS COLLECTED ON A DAILY BASIS ALONG THE FENCES AT WORKING FACE AREA THERE ARE 18 PEOPLE DESIGNATED TO COLLECT LITTER UNDER THE CURRENT EXTREME WINDY CONDITIONS.  
 A LITTER COMPLAINT WAS RECEIVED IN THE MORNING REGARDING THE LITTER THAT CAN BE OBSERVED FROM CHIQUITO CYN. LANDFILL IS TAKING NECESSARY STEPS TO REMOVE LITTER FROM THIS AREA AND ALL OTHER AREAS INSIDE THE LANDFILL. NO LITTER OBSERVED ON HWY 126 AND STREET SWEEPER WAS IN OPERATION.  
 LIGHTING DURING DARK HOUR WAS SATISFACTORY AND NO TRASH ODOR DETECTED IN THE VALVERDE AREA.  
 NO SIGNIFICANT VIOLATIONS OBSERVED AT THE TIME OF INSPECTION.

INSTRUCTIONS ON BACK

Correct:  Incorrect:

EXAMPLE 1 2 3

Top White - CIWMB

Middle Pink - LEA

Bottom - Yellow

**CIWMB Form 52 - Disposal Facility Inspection Report**

Enforcement Agency: LOS ANGELES COUNTY SOLID WASTE MANAGEMENT

Page 2 of 2

Facility Name: CHIQUITA CYN LANDFILL

Facility File Number: 19-AA-0052

Inspection Date: 01/15/2009

**Comments Continued:**

A/C 20921 b For those active solid waste disposal facilities which are not in compliance with the newly implemented gas regulations, but have submitted to the LEA an alternative gas monitoring and control plan pursuant to 27 CCR 20921(b), an area of concern will be issued until the facility complies with the requirements of 27 CCR Article 6.

**NOTES:**

IN ORDER TO COMPLETE THE PERMIT REVIEW PROCESS, SUBMITTED A DRAFT APPLICATION TO THE LEA ALONG WITH UPDATED CLOSURE/POST CLOSURE PLANS AND ANY CHANGES TO THE JTD. REMEMBER TO SUBMITT AN UPDAQTED CLOSURE PLAN TO THE CIWMB AS WELL.