

Disposal Facility Inspection Report (52)

Enforcement Agency:		County of Los Angeles			
SWIS Facility File Number (99-xx-9999)		Inspection Date		Program Code	
19-AA-0052		5/26/2011		LEA Periodic	
Time In		Time Out		Inspection Time	
Facility Name			Received By		
Chiquita Canyon Sanitary Landfill			Chiquita Canyon, Inc.		
Facility Location			Owner Name		
29201 Henry Mayo Drive, Castaic 91384					
Inspector			Also Present (Name)		
CASTELLANOS					

THE ABOVE FACILITY WAS INSPECTED FOR COMPLIANCE WITH APPLICABLE SECTIONS OF THE DIVISION 30 OF THE PUBLIC RESOURCES CODE (PRC) AND TITLE 14 AND TITLE 27 CALIFORNIA CODE OF REGULATIONS (CCR)

No Violations or Areas of Concern

A Regulations

Inspection Report Comments:

HOURS OF OPERATIONS FROM 4:30AM TO 5:00PM MONDAY. TUESDAY THROUGH FRIDAY 3:00AM TO 5:00PM. SATURDAYS FROM 4:30AM TO 2:00PM. PERMITTED TONNAGE IS 6000 TPD. DAILY PEAK TONNAGE AVERAGE IS 4,500 TPD.

PERIMETER GAS PROBES 6,8,12,19 and 23 CHECKED FOR METHANE. NO METHANE DETECTED AT THESE PROBES.

THE FOLLOWING RECORDS WERE CHECKED AND FOUND SATISFACTORY: SAFETY MEETINGS, DAILY AND SPECIAL OCCURRANCES, TONNAGE AND COMPLAINTS.

BIRD AND DUST CONTROL SATISFACTORY.

NO LITTER OBSERVED ON HWY 126 AND STREET SWEEPER WAS IN OPERATION.

LIGHTING DURING DARK WAS SATISFACTORY.

A VALVERDE COMMUNITY SURVEY WAS CONDUCTED IN THE MORNING AND AFTERNOON AND NO ODORS WERE DETECTED.

WASTE TO ENERGY PLANT IS IN OPERATION.

OPERATOR WAS ADVISED TO REMOVE VEGETATION AROUND GAS WELLS AND TO CONTINUE REMOVING PLASTIC BAGS FROM AREAS NEAR THE DISPOSAL AREA.

NO SIGNIFICANT VIOLATIONS OBSERVED AT THE TIME OF INSPECTION